Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SECOND CHECK 4.0 QC8

Comment: SECOND CHECK

SMALL & MEDIUM FAB RESOURCE 1 5.0 SMALL FAB 1

Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

Each

Dart Aerospace Ltd

W/O:							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				<u></u>			

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: (3/07/13
			QA: N/C Closed:	Date:

NCR:		V	WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	Verification	Approval	A				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector			
								:			
								~			
								•			
			1			1		1			

NOTE: Date & initial all entries

Date:

Monday, 7/9/2007 11:53:02 AM

User:

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: CABIN FLOOR PROTECTOR

Job Number: 33397

Seq. #:

Job Number:

Machine Or Operation:

Description:

Part Number: D35744

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:



8.0

QC21





Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



U 07.02-13


Da	rt	Δ	٩r	റട	na	ce	Ltd
-u		_,	~ [v	Nu	\sim	LW


W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
		·							
Part No	!	PAR #: Fault Category:	NCR: Ye	s No DQ	A:	_ Date: _			
			QΑ	: N/C Close	d:	Date:			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
	T	Description of NC		Corrective Action Section B		Verification Section C	A				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date		Approval Chief Eng	Approval QC Inspector			
								·			
-		-									
								-			
								•			

NOTE: Date & initial all entries







D3574-1 CABIN FLOOR PROTECTOR (SHOWN). D3574-2 (OPPOSITE) RETURN TO ENGINEERING

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK TO AMENDMENT
TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)

2) FINISH: NONE

SHOP COPY

2) FINISH: NONE

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK WARKER ON SMOOTH SIDE OF PART


- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8961

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-3 CABIN FLOOR PROTECTOR

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 WHICK IT NOTICE
TEXTURED SIDE UP (REF DART SPEC MI FYS 125—F60020

2) FINISH: NONE

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART


- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-4 CABIN FLOOR PROTECTOR

NOTES:

WITHOUT NOTICE 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICKORK ORDER TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)

2) FINISH: NONE


3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- CHECK PER TEMPLATE DT8963

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-5 CABIN FLOOR PROTECTOR

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICKORK ORDER
TEXTURED SIDE UP (REF DART SPEC MLFXS 125-F60029-04)

2) FINISH: NONE

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


SHOP COPY RETURN TO


ENGINEERING

UNCONTROLLED

SUBJECT TO AMEND!







D3574-6 CABIN FLOOR PROTECTOR

UNCONTROLLED COPY UNCONTRULLIBLE

UNCONTRULLIBLE

UNCONTRULLIBLE

UNCONTRULLIBLE

TO AMENDMEN

TEXTURED SIDE UP (REF DART SPEC MLEXS 125—F60020 04)

2) FINISH: NONE

NO/2

2) FINISH: NONE

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	33399
Description: CARIN Floor PROTECTOR	Part Number:	D3574-4
Inspection Dwg: Rev: 📐		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1.95	4- ,030	しつて	火			
7.62	4030	7.62	*			
10.25	4/030	10.25	*			
11.87	+/030	11,87	*			
14.75	1/030	14.75	*			
26.00	4/030	. ∂C '∞	*			
\$ 1.13	1.006-001	\$ 1.13	*			
34.13	4/030	34.13	×			
\$ 3.00		\$ 3.00	*	<u> </u>		
40.87	4/030	4087	*			
45:00	+/030	45.00	*			
48.00	*/030	48.00	≥ Ł	2		
\$5.13	4/030	23.2	*	<u> </u>		•
59.75	4/030	59.75	*			
\$ 59.50	4/030	59.50	*			
61.25	4/030	61.25	*			
61.88	4/- 030	61.88	*	ļ		
44.63	7/036	C4.63	*	-		
					·	
				-	-	· .
				-	<u> </u>	
			<u> </u>			· · · · · · · · · · · · · · · · · · ·

Measured by:	LD	Audited by:		Prototype Approval:	
Date:	-69	Date:	13/24/3	Date:	·
	3, 3,7()	L	<u> </u>	} L	

Rev	Date	Change	Revised by	Approved
Δ		New Issue	KJ/RF	
		11011 10000		

DART, AEROSPACE LTD	Work Order:	33397
Description: CABIN FIOR PROTECTOR	Part Number:	D 3574.4
Inspection Dwg: Rev: A		Page 1 of 1

		¥	First Artic	ie 🗌	Proto	type	•	
Drawing Dimension	То	lerance	Actual Dimension	Accept	Reject	Method of Inspection	Com	ments
2.00	4_	1030	2.00	*				
7.38	4/-	.030	7.38	*			ļ	
11.00	4/-	. ०३०	11.60	*				
26.21	4/-	. 630	15.75	*				
17.62	+/-	.030	17.62	*				
25.87	4/-	.030	ે રુદ ∙શ	¥				
34.25	4/_	- 630	34,75	*				
34,94	4/-	.030	34.94	*			-	
39.75	4/-	٠ ٥٥٥	39.75	*				
44.75	+/-	- 030	44.75	*				
5106	4/-	. 030	51,00	yŁ				
28.38	1/-	· ৩३৯	58:38	4				
61-2S	+1-	-032	61.74	K	·		•	
63.43	+/-	-030	63.43	*				
63.50	+/_	. 630	63,50	Ŋ.				
65.25	4/-	-036	65.35	i				٠.
	-							
	-			-				
	-							
				_			<u> </u>	
Measured by:	, in		Audited by:		P	rototype App	roval:	
	服 67-0°	7-12	Date:	27/07/	3		Date:	
Rev Date	Chan						evised by	Approved
A Date	New					K	J/RF	

DART, AEROSPACE LTD	Work Order:	3339]
Description: CABIN FLOOR PROTECTOR	Part Number:	D3574-4
Inspection Dwg: Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

*	First Articl	e	Proto	type

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
3.70	+/- ,630	3.70	*			
6.06	4/030	606	*			
6.75	4030	6:75	*			
9.50	4/- ,030	9.50	*			
10.38	4/030	10:38	_ X			
14.50	4030	14.50	71			
16.75	4/030	16.75	٧			
18.94	+/030	११.94	<u> </u>			
19.00	4/030	19,60	*			
24.13	4/- 030	24.13	×			
33.88	4/030	33.88	4			
35,75	4/030	35,75	*			
36.13	4/030	36.3	<u> </u>			•
39.50	4/030	34.40	 	-		
40.25	4/030	40.26	*			
43.90	4/030	43,90	T			
46.60	4/030	46.60	4			

Measured by: U2	Audited by:	Prototype Approval:	
Date: 67-67-12	Date: 0707(3	Date:	·

Rev	Date	Change	Revised by	Approved
V	Dute	New Issue	KJ/RF	
		1464A 1230C		

DART, AEROSPACE LTD	Work Order:	33397
Description: CABIN FLOOR PROTECTOR	Part Number:	D3574-4
Inspection Dwg: Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

First Article	Prototype
---------------	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1.13	4030	1.13	*			
3.13	t/030	3.13	*			
7.63	4/- 630	7.63	*			
8.13	+1030	8.B	*			
(1.00	4/030	11.00	*			
14.50	4/030	14.50	*			
15.75	4630	1505	*	-		
18.40	4/030	18.40	*			<u>.</u>
22.10	4/- 030	35'10	*			
29.56	4/- 030	37.40	i .			
24.50	4/030	24.50		-		
25.50	1/630	02.26	*	,		
30.75	4/020	30.75	*	ļ		•
34.00	+/030	34.00				
35.13	+/- 630	35.13	*			
36.50	+/030	36.50	*			
40.00	+/- 030	40.00	*			
41.50	4/034	41.50	*	<u> </u>		
41.88	4/024	41.88	*	ļ		·
43.63	1/030	43.63	¥			
44.70	4/030	44.70	7			
				<u> </u>		

Measured by: 12	Audited by:	Prototype Approval:	
Date: 07 - 07- 12	Date: 07(07(3	Date:	

ſ	Rev	Date	Change	Revi	ised by Approve	ed
ļ	IVE A	Date		KJ/R	F	
- [A		New Issue			